


**KÄRCHER**



# **LET KÄRCHER DO YOUR HOUSE WORK**

Serahkan pekerjaan rumah Anda pada Kärcher

# We Are Here For You



## Cleaning Solutions for Over 80 Years

Since its beginning in 1935 the value-oriented family business Kärcher has developed into a worldwide brand, offering its customers three strong attributes: top performance, innovation and quality. Kärcher products have won more than 100 national and international prizes for exemplary design. In addition, more than 1,300 patents and utility models are evidence of the company's inventive spirit and passion for innovation. Today, Kärcher is the leading global provider of efficient, resource-saving cleaning systems, characterized by reliable, user-friendly products, and strong service. Kärcher opened its Indonesian subsidiary in 2014.

*Sejak dibuka di tahun 1935, Kärcher yang merupakan bisnis keluarga, yang berorientasi pada nilai-nilai, telah berkembang menjadi merek internasional yang menawarkan 3 atribut penting kepada pelanggannya: kinerja terbaik, inovasi dan kualitas. Produk-produk Kärcher telah memenangkan lebih dari 100 penghargaan nasional dan internasional untuk desain produk. Di samping itu, lebih dari 1.300 paten dan model utilitas merupakan bukti semangat inventif dan inovatif kami. Saat ini, Kärcher merupakan penyedia produk pembersih global yang efisien dan hemat sumber daya, dengan karakteristik mudah digunakan dan servis yang baik. Di tahun 2014 Kärcher membuka subsidiary di Indonesia.*



As for our commitment to the environment, we have been cleaning historical monuments and buildings for more than 30 years as part of our cultural sponsorship program. From Monument Nasional in Indonesia, to Mount Rushmore in United State and many others, we are happy to take on any challenge. We have made cleaning our business and at the same time, make our contribution towards preserving values for people worldwide.

*Atas komitmen kami terhadap lingkungan, kami telah membersihkan berbagai monumen dan bangunan bersejarah selama lebih dari 30 tahun sebagai bagian dari program sponsor kebudayaan kami. Dari Monumen Nasional di Indonesia hingga Mount Rushmore di Amerika Serikat dan banyak lainnya, kami senang menghadapi tiap tantangan. Kebersihan telah menjadi bisnis kami dan disaat bersamaan, kami memberi kontribusi bagi pembudayaan nilai kemanusiaan secara global.*

**Kärcher makes a difference**





## Table of Contents

<b>High Pressure Cleaner</b> <i>Pembersih dengan Air Bertekanan Tinggi</i>	4	<b>Floor Cleaner</b> <i>Pembersih lantai</i>	12
<b>Wet &amp; Dry Vacuum Cleaner</b> <i>Pengisap kotoran basah &amp; kering</i>	6	<b>Submersible Dirty Water Pump</b> <i>Pompa Celup Air Kotor</i>	12
<b>Dry Vacuum Cleaner</b> <i>Pengisap kotoran kering</i>	8	<b>Hose Reel</b> <i>Selang Gulung</i>	12
<b>Carpet Cleaner</b> <i>Pembersih karpet</i>	10	<b>Home &amp; Garden Accessories</b> <i>Aksesoris Rumah &amp; Taman</i>	13
<b>Steam Cleaner &amp; Steam Vacuum Cleaner</b> <i>Membersihkan dengan Uap Panas</i>	10	<b>Kärcher Service</b> <i>Kärcher Service</i>	15





Designed and engineered  
by Kärcher in Germany

# High Pressure Cleaner

Whether it is tender care or powerful cleaning, Kärcher pressure cleaners offer the perfect solution for every outdoor cleaning task around your home. The compact units are reliable allies against smaller dirt around the house and garden. Simple and convenient, the units outshine conventional cleaning that relies on a sponge, brush & bucket.

Baik perawatan yang ringan ataupun pekerjaan berat, pembersih Kärcher bertekanan tinggi memberikan hasil sempurna untuk kebersihan sekitar rumah. Unit ringkas yang dapat diandalkan untuk membersihkan rumah dan taman. Mudah dan nyaman, menggantikan pekerjaan manual yang menggunakan spons, sikat & ember.

## Water Usage Comparison



### Special Features

- Robust & energy efficient
- Cable hook

- Foam jet nozzle for vehicle cleaning
- Dirt Blaster

- Robust & energy efficient
- Cable hook

Product (order n.)		K 1 (1.600-005.0)	K 1 Car (1.600-008.0)
<b>Technical Data</b>			
Pressure (max.)	bar	90	
Flow rate (max.)	l/h	300	
Power (max.)	W	850	
Hose length	m	3	
Dimensions (LxWxH)	mm	160 x 240 x 426	




**Special Features**

- Integrated cable slot
- Convenient accessory storage
- Quick Connect System

- Vario Power nozzle
- More power with dirt blaster
- Wash brush

- Induction motor with aluminum pump
- Vario Power Jet Short 360°
- Extension lance 0.45 m

Product (order n.)		K 2 Universal Edition Car (1.600-104.0)	K 2.360 (1.601-686.0)	K 2 Power VPS (1.118-001.0)
<b>Technical Data</b>				
Pressure (max.)	bar	90	110	100
Flow rate (max.)	l/h	300	360	360
Power (max.)	W	900	1400	1100
Hose length	m	6	6	7.5
Dimensions (LxWxH)	mm	182 x 280 x 390	328 x 258 x 661	352 x 170 x 287



**Special Features**

- Up to 10 m hose storage on reel
- 2-lance storage on device
- Built-in detergent tank

- Long-life water cooled motor
- Vario Power
- More power with dirt blaster

- Power Control Gun + Quick Connect
- Convenient hose reel on device
- Plug 'n' Clean detergent system

Product (order n.)		K 3 HR (1.599-261.0)	K 4 Compact (1.637-500.0)	K 4 Premium Power Control (1.324-130.0)
<b>Technical Data</b>				
Pressure (max.)	bar	120	130	130
Flow rate (max.)	l/h	360	420	420
Power (max.)	W	1600	1800	1800
Hose length	m	10	6	8
Dimensions (LxWxH)	mm	283 x 300 x 805	348 x 308 x 520	411 x 305 x 584



**Special Features**

- Long-life water-cooled motor
- Integrated detergent suction hose

- Accessories storage on device
- Vario Power + Dirt Blaster

- Power Control Gun + Quick Connect spray lances
- Convenient hose reel on device

- Plug 'n' Clean detergent system



Product (order n.)		K 5 WCM (1.324-400.0)	K 5 Power Control (1.324-550.0)
<b>Technical Data</b>			
Pressure (max.)	bar	145	145
Flow rate (max.)	l/h	500	500
Power (max.)	W	2100	2100
Hose length	m	8	10
Dimensions (LxWxH)	mm	369 x 329 x 901	402 x 306 x 588



# Wet & Dry Vacuum Cleaner

Whether dry or moist, coarse or fine dirt - it makes no difference to Kärcher multi-purpose vacuum cleaners. With lower power consumption and innovative new accessories & features, these versatile units ensure cleanliness without compromise. Kärcher provides the right solution for any need - both for occasional as well as intensive use.


*Kering atau basah, butiran kasar atau kecil, tidak menjadi masalah bagi vakum pembersih multi fungsi buatan Kärcher. Dengan konsumsi listrik lebih rendah beserta perangkat aksesoris dan fitur inovatif yang baru, mesin pembersih serba guna ini membersihkan tanpa kompromi. Kärcher memberikan solusi terbaik untuk setiap kebutuhan sehari-hari maupun pekerjaan intensif.*



## Special Features

- Practical blower function
- Cable & accessory storage on device
- Compact design
- Practical blower function
- Stainless steel dust container, impact & corrosion resistant
- 2 nozzles for all hard floors
- Cable and accessory storage on device

Product (order n.)		WD 1 Classic (1.098-322.0)	WD 1 S Classic (1.098-323.0)
<b>Technical Data</b>			
Power (max.)	W	1200	1300
Container	l	15 (plastic)	18 (stainless steel)
Cable length	m	5	5
Vacuum	mbar	180	200
Dimensions (LxWxH)	mm	330 x 351 x 461	399 x 399 x 519



Blower Function



Accessory Storage



Parking



NEW



NEW

### Special Features


- Single-part cartridge filter, without additional filter replacement
- Fleece filter bag; extremely tear-resistant & long lasting
- Practical blower function
- Parking + intermediate parking position
- Accessory storage
- "Pull & Push" locking system

- Single-part cartridge filter, without additional filter replacement
- Fleece filter bag; extremely tear-resistant & long lasting
- Practical blower function
- Parking + intermediate parking position
- Hose, cord & accessory storage
- "Pull & Push" locking system

Product (order n.)		WD 2 Plus V-12/4/18/C (1.628-009.0)	WD 3 S V-17/4/20 (1.628-135.0)
<b>Technical Data</b>			
Energy Use	W	1000	1000
Container capacity	l	12 (plastic)	17 (stainless steel)
Cable length	m	4	4
Vacuum	mbar	180	200
Dimensions (LxWxH)	mm	349 x 328 x 378	353 x 328 x 493



Easy filter change



Accessory Storage



Parking



NEW



Filter Cleaning



Blower Function



NEW

### Special Features

- Patented filter removal technology; quick & easy without contact with dirt
- Fleece filter bag; extremely tear-resistant & long lasting
- Parking + intermediate parking position
- Removable handle, enabling direct nozzles attachment to the hose
- Hose, cord & accessory storage
- "Pull & Push" locking system


- Filter cleaning function; quickly restoring full suction power
- Patented filter removal technology; quick & easy, no contact with dirt
- Fleece filter bag; extremely tear-resistant & long lasting
- Practical blower function
- Parking + intermediate parking position
- Removable handle, enabling direct nozzles attachment to the hose
- Hose, cord & accessory storage
- "Pull & Push" locking system

Product (order n.)		WD 4 S V-20/5/22 (1.628-250.0)	WD 5 S V-25/5/22 (1.628-350.0)
<b>Technical Data</b>			
Energy Use	W	1000	1800
Container capacity	l	20 (stainless steel)	25 (stainless steel)
Cable length	m	5	5
Vacuum	mbar	220	230
Dimensions (LxWxH)	mm	384 x 365 x 524	418 x 382 x 652

# Dry Vacuum Cleaner

Our appropriate dry vacuum cleaners are built for each use and for every demand. From the extremely compact VC to the thorough DS versions that even refresh air in the room and help allergy sufferer. Every product comes with HEPA filter (captures dust and very small particles), powerful yet efficient motor, and innovative design, makes them easier for storage.

Penyedot debu kering kami dibuat untuk tiap keperluan dan tuntutan. Dari versi VC yang sangat ringkas hingga versi DS yg total membersihkan bahkan udara di dalam ruangan dan dapat membantu penderita alergi. Tiap produk dilengkapi filter HEPA (menangkap debu dan partikel sangat kecil), motor yang kuat nan efisien dan desain yang inovatif sehingga memudahkan penyimpanan.




**HEPA FILTER**

**High-Efficiency Particulate Air (HEPA) Filter Degree of Separation**

Outstanding degree of separation. Retains even smallest aerosols and mite excrements.

HEPA 12 -> filters 99,9% of all particles >0,3 µm  
 HEPA 13 -> filters 99,99% of all particles >0,3 µm  
 (The exhaust air from the machine is cleaner than the air in the room; recommendable for allergy sufferers)



Particle size / µm

Degree of separation (%) relating to the particle size


HEPA 12 Filter > 99.9%  
 HEPA 13 > 99.99%  
 HEPA 14 Filter > 99.995%



## Special Features

- True multi-cyclone technology-outstanding performance, no suction loss
- HEPA 12 filter - captures 99.5% of dust & particles
- Automatic cable rewind
- True multi-cyclone technology-outstanding performance, no suction loss
- HEPA 13 filter - captures 99.95% of dust & particles
- Automatic cable rewind

Product (order n.)		VC 3 (ERP) (1.198-123.0)	VC 3 Premium (ERP) (1.198-131.0)
<b>Technical Data</b>			
Power Rating	W		700
Container	l		0.9
Operating radius	m		7.5
Weight (without acc.)	kg		4.4
Dimensions (LxWxH)	mm		388 x 269 x 334



## Special Features

- Lightweight design for fatigue-free working
- For hard floors, upholstered furnitures, hard-to-reach areas
- High motor speed, suction power and motorised floor roller pick up all dirt
- HEPA 12 filter (99.5%)
- Outstanding suction power with Multi-cyclone cleaning system
- Two-roller technology, picks up dirt from the front & back
- Smart LED lights; for better cleaning in dark areas & clear battery status display
- HEPA 12 filter (99.5%)

Product (order n.)		VC 4s Cordless (1.198-291.0)	VCS 5 Cordless (1.198-295.0)
<b>Technical Data</b>			
Battery cap.   Voltage	Ah   V	2.5 (lithium)   18	2.5 (lithium)   25.2
Charg.   work. time	hrs.   mn.	3 - 5   12 - 60	3.5   80 (max.)
Suction	Kpa	15	22.5
Noise level	db(A)	79	72
Dimensions (LxWxH)	mm	150 x 255 x 1060 (stick)	255 x 150 x 1060





**Special Features**

- Bagless filter system with integrated filter cleaning
- Extensive range of accessories
- High efficiency HEPA filter

Product (order n.)		VC 5 Premium (1.349-200.0)
<b>Technical Data</b>		
Power Rating	W	500
Container	l	0.2
Operating	m	10
Noise level	db(A)	77
Dimensions (LxWxH)	mm	182 x 261 x 621

**Vacuum Cleaner with Water Filter | Penyedot debu dengan saringan air**

The multi-stage filter system (water+HEPA filter) of DS 6 ensures that even microscopic dirt particles as small as 0.3 µm are extracted. This is ideal for families with young children or people with allergies. DS 6 relies on the natural power of water being swirled around at high speed. The dirt is piped through the swirling water, reliably filtered from the air and bound in the water. The result: exceptionally fresh, 99.9% clean exhaust air.

Sistem penyaringan berjenjang (filter air+HEPA) dari DS 6 menjamin bahkan partikel debu sekecil 0.3 mikrometer tersaring. Ideal untuk keluarga dengan anak-anak atau mereka yang memiliki alergi. DS 6 mengandalkan kekuatan alami air yang dilingkarkan dengan kecepatan tinggi. Kotoran disalurkan melalui air yang berputar, tersaring dari udara dan terperangkap di dalam air. Hasilnya: udara buangan yang sangat bersih (99.9%).



**Special Features**

- Multi-stage filter system - for 99.9% clean exhaust air, suitable for allergy sufferers
- HEPA 12 filter - captures 99.5% of dust & particles
- Exceptionally easy; removable water filter for cleaning
- Parking position & accessory storage on machine


- Multi-stage filter system - for 99.9% clean exhaust air, suitable for allergy sufferers
- HEPA 13 filter - captures 99.95% of dust & particles
- Exceptionally easy; removable water filter for cleaning
- Parking position & accessory storage on machine

Product (order n.)		DS 6 (1.195-220.0)	DS 6 Premium (1.195-240.0)
<b>Technical Data</b>			
Power Rating	W	650	650
Container	l	2 (water filter)	2 (water filter)
Operating radius	m	10.2	11.2
Weight (without acc.)	kg	7.5	7.5
Dimensions (LxWxH)	mm	535 x 289 x 345	535 x 289 x 345

# Carpet Cleaner

Kärcher spray extraction cleaner cleans thoroughly and hygienically without long drying times. This easy-to-use device is ideal for regular fibre-deep cleaning of carpets, upholstery and other surfaces around the home. Spotless cleaning for healthier environment.

Spray extraction cleaner Kärcher membersihkan secara menyeluruh dan higienis tanpa pengeringan yang lama. Alat yang mudah digunakan ini ideal untuk pembersihan hingga-ke-serat sehari-hari pada karpet, lapisan perabotan dan permukaan lain di rumah. Pembersihan tanpa cela untuk lingkungan yang lebih sehat.



## Special Features

- Flat pleated filter; wet & dry vacuuming without filter change
- Parking position
- Accessory storage

Product (order n.)		SE 6.100 (1.081-220.0)
<b>Technical Data</b>		
Power (max.) turbine   pump	W	1400   40
Spray rate	l/min.	1
Water tank capacity fresh   dirty	l	4   4
Spray pressure	bar	1
Dimensions (LxWxH)	mm	422 x 320 x 465

# Steam Cleaner & Steam Vacuum Cleaner

**DEEP CLEANING WITHOUT CHEMICALS**

**KILLS UP TO 99.999% OF CORONAVIRUS\* AND BACTERIA\*\***

Kärcher steam cleaners penetrate even the smallest pores. Microscopic steam particles dissolve stubborn dirt and prevent bacterial and microbial growth. Since it does not involve the use of cleaning agents, no allergenic residues can form on cleaned surfaces. Extremely versatile devices that clean without chemicals.

Pembersih uap panas dari Kärcher menembus hingga ke pori terkecil. Partikel uap panasnya melarutkan kotoran membandel serta mencegah berkembang biaknya bakteri dan mikroba. Karena tidak menggunakan cairan kimia, tidak ada residu alergen yang tertinggal pada permukaan. Alat sangat serbaguna yang membersihkan tanpa bahan kimia.

**MULTI-FUNCTIONALITY**

**EFFORTLESS**




## Special Features

- Light, compact device
- With floor cleaning set EasyFix

- LED indicator for operating modes
- Lightweight, space-saving compact design
- Cable and accessories storage on device

Product (order n.)		SC 2 EasyFix (1.512-055.0)	SC 2 Deluxe EasyFix Premium (1.513-250.0)
<b>Technical Data</b>			
Power (max.)	W	1500	1500
Area performance	m <sup>2</sup>	75 (approx.)	75 (approx.)
Tank capacity (boiler)	l	1	1
Heat-up time	min.	6.5	6.5
Steam pressure (max.)	bar	3.2	3.2



**Special Features**

- Floor cleaning set EasyFix
- Two-stage steam flow control
- Accessory storage and parking position
- Light, compact device
- With floor cleaning set EasyFix
- Easy handling of the carpet glider

Product (order n.)		SC 3 EasyFix Premium (1.513-160.0)	SC 3 Upright EasyFix (1.513-300.0)
<b>Technical Data</b>			
Power (max.)	W	1900	1600
Area performance	m <sup>2</sup>	75 (approx.)	60 (approx.)
Tank capacity	l	1	0.5
Heat-up time	min.	0.5	0.5
Steam pressure (max.)	bar	3.5	3.5

**3-in-1: Steaming, Vacuuming and Drying**  
**3-in-1: Pembersih Uap, Penyedot Debu dan Pengering**

Combining the advantages of steam cleaners with the strengths of dry vacuum cleaners. It can vacuum crumbs from the floor whilst also wetting, wiping and then drying the floor, all in a single, convenient process: quickly, easily and without chemicals.

Menggabungkan kelebihan pembersih uap, dengan kekuatan penyedot debu. Menyedot remah dari lantai selagi membasahi, mengepel dan kemudian mengeringkannya, semua dalam satu proses yang nyaman: dengan cepat, mudah dan tanpa bahan kimia.



**Special Features**

- 4-level suction power control
- 5-level steam volume control
- Non-stop steam
- Cable storage compartment
- Child safety lock



Product (order n.)		SV 7 (1.439-420.0)
<b>Technical Data</b>		
Power (max.)	W	2200
Tank capacity	l	0.45 (boiler)   0.5 (refill)   1.2 (water filter)
Steam pressure	m	4 (max.)
Vacuum	mbar	210
Dimensions (LxWxH)	mm	515 x 336 x 340





# Floor Cleaner

The Kärcher FC 5 is the perfect solution for fast and easy hard floor cleaning. Its innovative 2-in-1 function means there is no need for the hassle of vacuuming before wiping. The combination of wiping and vacuuming in one step means that the floor cleaner picks up damp and dry dirt at the same time. It doesn't matter whether it's on wood, stone or plastic - the FC 5 shines with exceptional cleaning results on all standard hard floors.

Kärcher FC 5 adalah solusi yang sempurna untuk pembersihan lantai yang cepat dan mudah. Fungsi 2-in-1 yang inovatif berarti tak perlu repot menyedot kotoran sebelum menyeka. Kombinasi menyeka dan menyedot sekaligus berarti bahwa pembersih lantai ini mengambil kotoran lembab maupun kering di saat bersamaan. Tak masalah apakah permukaan kayu, batu atau plastik - FC 5 unggul dengan hasil pembersihan yang istimewa pada semua lantai umumnya.



**WATER SAVING**  
**85%**

**CLEANING PERFORMANCE**  
**+20%**

**TIME SAVING**  
**Up to -50%**

**EFISIEN energi**  
**460W**




## Special Features

- Innovative self-cleaning function
- Hygienic Twin-Tank System
- Practical parking station for storage

Product (order n.)		FC 5 Premium (1.055-460.0)
<b>Technical Data</b>		
Power rating	W	460
Cleaning performance	m <sup>2</sup>	60 (approx.)
Water tank capacity (Fresh   Dirty)	ml	400   200
Drying time	min.	2
Dimensions (LxWxH)	mm	320 × 270 × 1220

# Garden Utilities

## Compact, Robust and Powerful Submersible Pump




### Special Features

- Possibility to fix the float switch

Product (order n.)		SP 3 Dirt (1.645-502.0)
<b>Technical Data</b>		
Motor rating	W	350
Flow rate (max.)	l/h	7000
Delivery height/pressure	m/bar	6/0.6
Immersion depth	m	7
Temperature	°C	35
<b>Equipments</b>		<ul style="list-style-type: none"> <li>» Quick connect</li> <li>» Hose connection piece, 1 1/4"</li> </ul>

## Innovative Hose Reel



### Special Features

- Hose carrier with 15 m 1/2" standard hose, spray nozzle 2.645-053
- Easy to carry
- Product designation with scroll label
- Ready to use

Product (order n.)		HR 25 (2.645-041.0)
<b>Technical Data</b>		
Hose length	m	15
Hose diameter	in.	0.5
Connector	pc.	4
Dimensions (LxWxH)	mm	300x300x300
<b>Equipments</b>		<ul style="list-style-type: none"> <li>» G3/4-tap connection</li> <li>» Hose Coupling, 3 pcs.</li> <li>» Hose Coupling, Aqua Stop</li> <li>» Spray Nozzle</li> </ul>

# Home & Garden Accessories





Accessories for High Pressure Cleaners		Order Number	Description	K1	K 1 Car	K 2 Uni. Ed. Car	K 2.360	K 2 Power VPS	K 3 HR	K 4 Compact	K 4 Pr. Pow. Con.	K 5	K 5 Power Con.
1		2.643-912.0	Upgrade set high-pressure hose 4 m, gun and quick connect adapter	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2		2.643-910.0	A set with 7.5 m hose, high-pressure gun and Quick Connect adapter.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3		2.643-909.0	Upgrade set high-pressure hose 12 m, gun and quick connect adapter	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4		2.641-721.0	Replacement hose with Quick Connect	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5		2.642-724.0	Adjustable pressure control spray lance	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6		2.642-725.0	Adjustable pressure control spray lance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7		2.642-727.0	Powerful rotary nozzle, Ideal for mossy or weathered surfaces, stubborn dirt	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8		2.642-728.0	Powerful rotary nozzle, Ideal for mossy or weathered surfaces, stubborn dirt	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9		2.643-254.0	Adjustable 360° joint is ideal to clean confined, hard-to-reach spaces	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10		2.643-150.0	Powerful foam application	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11		2.643-147.0	Powerful foam application	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12		2.643-144.0	Quick-change detergent application. Change between different detergents with 1-click.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13		2.644-084.0	For splash-free cleaning of large surfaces. with adjustable nozzle length	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14		2.641-710.0	10 m robust DN 8 hose, excellent durability.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15		2.643-101.0	Allows water to be drawn from alternative sources	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16		2.642-794.0	Protects pressure washer pumps against dirt carried by water	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17		2.637-729.0	For effective cleaning and removal of blockages in pipes, drains, downpipes & toilets	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Accessories for Dry Vacuum Cleaners and Vacuum Cleaners with Water Filter		Order Number	Description	VC 3 (ERP)	VC 3 Pr. (ERP)	VC 4i Cor. Plus	VC 4s Cordless	VC 5 Premium	DS 6	DS 6 Premium
1		2.863-238.0	HEPA 13 high-performance filter for VC 3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2		9.754-011.0	Inlet filter ASM replacement	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3		2.863-239.0	Reliably filters fine dust, for VC 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4		2.863-240.0	Safely and reliably filters the finest dirt, such as pollen and allergy-triggering particles.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5		2.860-273.0	Special (EN 1822:1998)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6		6.414-631.0	Washable intermediate filter, retains airborne particles from the condensed humid air	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7		2.903-001.0	Ideal for removing pet hair. Working width: 160 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8		2.863-302.0	Gentle cleaning on delicate hard floors such as parquet and laminate.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9		4.130-177.0	For intensive and thorough cleaning. Ideal for high-pile carpets and vacuuming pet hair.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10		6.295-873.0	Liquid defoaming agent.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11		2.863-290.0	Hygienic deep-cleaning for beds, mattresses, pillows and hard-to-reach grooves around beds	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12		9.754-532.0	Replacement brush for VC 4is / VC 4i	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Optional Accessories

Included equipment

Accessories for Wet & Dry Vacuum Cleaners and Spray Extractor Cleaner		Order Number	Description	WD 1 Classic	WD 1 S Classic	WD 2 CFK	WD 3 Premium	WD 4 Premium	WD 5 Premium	SE 6.100
		1. Flat-pleated filter 2.863-005.0	For wet and dry vacuuming without filter replacement						■	■
1	2	2. Fleece filter bags (4 pcs.) 2.863-006.0	Extremely tear resistant, high degree of dust retention.					□	□	
		3. Paper filtering bag set packaged 2.863-014.0	Paper filter bag with excellent filter capacity and high tear resistance	□	□					
3	4	4. Filter blue packaged 2.863-015.0	Suitable for dry use without filter replacement	■	■					
		5. Car Vacuuming nozzle 2.863-145.0	For quick and easy cleaning of car seats, carpeted surfaces, boot and foot well	□	□	□	□	□	□	
5	6	6. Suction brush with hard bristles 2.863-146.0	For easy removing dried-on dirt	□	□	□	□	□	□	
		7. Suction brush with soft bristles 2.863-147.0	For gentle cleaning of sensitive car interior surfaces	□	□	□	□	□	□	
7	8	8. Extension suction tube (0.5 m) 2.863-148.0	Suitable for use in hard-to-reach places such as high ceilings.			□	□	□	□	
		9. Paper filter bags (5 pcs.) 6.904-322.0	Paper filter bag with excellent filter capacity and high tear resistance.			□				
9	10	10. Filter paper bag (5 pcs.) 6.904-143.0	Paper filter bag with excellent filter capacity and high tear resistance.							□
		11. Paper filter bags (5 pcs.) 6.959-130.0	Paper filter bag with excellent filter capacity and high tear resistance.				□			
11	12	12. Cartridge filter 6.414-552.0	Suitable for dry vacuuming without filter replacement.			■	■			
		13. Flat-pleated filter 6.414-498.0	For wet and dry vacuuming without filter replacement							■
13	14	14. Carpet cleaner RM 519 (1 l) 6.295-771.0	Liquid detergent with quick dry formula for interim cleaning.							□

Accessories for Steam Cleaners Steam Vacuum Cleaner and Floor Cleaner		Order Number	Description	SC 2 EasyFix	SC 3 EasyFix Premium	SC 2 Del. Eas. Prem.	SC 3 Upright EasyFix	FC 5 Premium
		1. Microfibre cloth set for floor nozzle EasyFix (2 pc.) 2.863-259.0	For more effective loosening and absorption of dirt on flooring.	□	□	□	□	
1	2	2. Cartridge Special Accessories 2.863-018.0	Replacement cartridge for steam cleaner			■	■	
		3. Multi-surface roller set, yellow (1 pair) 2.055-006.0	For gentle wet cleaning and care for all hard floors. Lint-free, absorbent and hard-wearing.					■
3	4	4. Universal floor cleaning RM 536 6.295-944.0	Liquid cleaner for all hard floors. With moisture protection and lemon scent					□

Garden Watering System		Order Number	Description
		1. Universal Hose Connector Plus with Aqua Stop 2.645-194.0	With Aqua Stop, prevents splashing during disconnection
1	2	2. Premium universal Hose Connector Plus with Aqua Stop 2.645-196.0	With Aqua Stop, prevents splashing during disconnection
		3. Multi Functional Spray Nozzle 2.645-051.0	Spraying pattern continuously adjustable from hard jet to cone jet & shower
3	4	4. Spray gun 2.645-265.0	Spraying pattern continuously adjustable from hard jet to cone jet
		5. Water tap adapter 2.645-006.0	G 3/4 tap adapter with G 1/2 reducer
5	6	6. Nozzle 2.645-264.0	Adjustable spray pattern from hard to soft

□ Optional Accessories

■ Included equipment



# Kärcher Service

Our skilled service team provide personalised support over the entire service life of your Kärcher machine. Wherever you need us, we or one of our service partners will be there to assist you on-site.

*Tim ahli kami menghadirkan dukungan secara personal selama masa penggunaan mesin Kärcher Anda. Dimana Anda membutuhkan, kami atau rekan servis kami akan hadir untuk membantu Anda.*



We offer a fast, efficient, top-quality repair service. Our aim is to provide the fastest possible service to your utmost satisfaction. Customer service really can be that simple and inspired.

*Kami menawarkan servis perbaikan yang cepat, efisien dengan kualitas terbaik. Tujuan kami adalah menyediakan pelayanan secepat mungkin untuk kepuasan Anda. Pelayanan kami begitu mudah dan menginspirasi.*

Our work is not over when a perfect product delivered to our customers. When our customers shine - we shine. This means working in partnership with our customers and helping with problems - at any time and with a comprehensive customer service. You can reach us at our hotline **+62 888 9005746** or review our service options at [www.kaercher.com/id/services](http://www.kaercher.com/id/services).

*Pekerjaan kami belum selesai ketika produk yang baik diterima oleh pelanggan. Ketika pelanggan bersinar - begitu juga kami. Ini berarti menjadi rekan dengan pelanggan dan membantu menghadapi masalah - setiap saat dengan pelayanan yang memahami pelanggan. Anda dapat menghubungi kami di nomor hotline **+62 888 9005746** atau mengunjungi laman servis kami di [www.kaercher.com/id/services](http://www.kaercher.com/id/services).*

## Authorized Kärcher Service Indonesia



● Authorised Service Center

### SUMATERA UTARA

**PT Karya Inti Mentari**  
Medan  
☎ 081 1622 2383  
✉ [pt.kim18@gmail.com](mailto:pt.kim18@gmail.com)

### KEPULAUAN RIAU

**PT Han-Indo Millenium**  
Batam  
☎ 0778 7496 688  
✉ [sales@han-indo.com](mailto:sales@han-indo.com)

### JABODETABEK

**KÄRCHER CENTER INDONESIA**  
BSD City, Tangerang  
☎ 021 8065 7600  
✉ [info@id.kaercher.com](mailto:info@id.kaercher.com)

**Kärcher Store**  
**PT Mitra Cipta Hardi Elektrindo**  
Jakarta Pusat  
☎ 021 - 612 1212  
✉ [sales.kaercher@mitra-pt.co.id](mailto:sales.kaercher@mitra-pt.co.id)

**Kärcher Store PT Orientama**  
Bekasi  
☎ 0812 3111 9598  
✉ [kaercherstore.cikarang@teknikmart.com](mailto:kaercherstore.cikarang@teknikmart.com)

### JAWA BARAT

**PT Kawan Baru Teknik**  
Cilegon  
☎ 0254 - 375 765  
✉ [info@kawanbaruteknik.com](mailto:info@kawanbaruteknik.com)

**PT Karya Inti Mentari**  
**(Service Point)**  
Lindeteves Trade Center (LTC), Jakbar  
☎ 021 - 6232 0718  
✉ [ptkim.18@gmail.com](mailto:ptkim.18@gmail.com)

**PT Kalingga Tataraya**  
Bekasi  
☎ 021 - 8951 0100  
✉ [sales@tataraya.com](mailto:sales@tataraya.com)

**PT Berlian Sejahtera Teknik**  
**(Service Point)**  
Tangerang Selatan  
☎ 0812 8895 0550

**PT Uap Air**  
Bandung  
☎ 022 - 8588 0101  
✉ [pt\\_uapair@yahoo.co.id](mailto:pt_uapair@yahoo.co.id)

### DI YOGYAKARTA

**Qhomemart Service Point**  
Yogyakarta  
☎ 0822 9929 9297

**Solusi Karcher Jogja (Service Point)**  
Banguntapan, Yogyakarta  
☎ 087 899 699 888 (hotline)  
✉ [sinergisolisusampurna@gmail.com](mailto:sinergisolisusampurna@gmail.com)

### JAWA TENGAH

**PT Bintang Wistar Kencana**  
**(Service Point)**  
Semarang  
☎ 024 - 8640 2989 (hotline)  
✉ [bwk\\_smg@bintangwistar.com](mailto:bwk_smg@bintangwistar.com)

### JAWA TIMUR

**Kärcher Store**  
**Sinergi Solusi Sampurna**  
Surabaya  
☎ 087 899 699 111 (hotline)  
087 899 699 888 (hotline)  
✉ [sinergisolisusampurna@gmail.com](mailto:sinergisolisusampurna@gmail.com)

### KALIMANTAN TIMUR

**PT Berlian Sejahtera Tehnik**  
**(Service Point)**  
Balikpapan  
☎ 0542 - 757 1079  
✉ [service\\_karcher@bumibangun.com](mailto:service_karcher@bumibangun.com)

### BALI

**PT Saka Parfima**  
Denpasar  
☎ 036 - 123 9717  
✉ [altekdwata@ud-nasional.com](mailto:altekdwata@ud-nasional.com)

**CV Altek Dewata**  
**(Service Point)**  
Denpasar  
☎ 0361 - 467610 (hotline)  
✉ [altekdwata@ud-nasional.com](mailto:altekdwata@ud-nasional.com)

### SULAWESI SELATAN

**PT Sulawesi Utama Tekindo**  
Makassar  
☎ 0411 - 361 7928  
0813 3334 5675

Kami terus memperluas jaringan purna jual kami, silahkan kunjungi [www.kaercher.com/id](http://www.kaercher.com/id) untuk informasi jaringan purna jual terkini.

Please contact us for more information:

**KÄRCHER CENTER INDONESIA**

Foresta Business Loft 3 Unit 8 & 9  
Jl. Boulevard Raya, Lengkong Kulon  
Pagedangan, Tangerang 15850

☎ +62 21 8065 7600

✉ info@id.kaercher.com

**[www.Kaercher.com/id](http://www.Kaercher.com/id)**

☎ 021 - 8065 7600

✉ info.id@karcher.com

📘 Kaercher Indonesia

📷 karcher\_indonesia

Dealer info:



**KÄRCHER**

# **CLEANING TECHNOLOGY FOR PROFESSIONALS**

Teknologi Kebersihan untuk Para Profesional




# Cleaning Solutions for Over 85 Years



Since its beginning in 1935, the value-oriented family business Kärcher has developed into a worldwide brand offering its customers three strong attributes: top performance, innovation and quality. Kärcher products have won more than 100 national and international prizes for exemplary design. In addition, more than 1,300 patents and utility models are evidence of the company's inventive spirit and passion for innovation. Today, Kärcher is the leading global provider of efficient, resource-saving cleaning systems, characterized by reliable, user-friendly products, and strong service.

*Sejak dimulai di tahun 1935, Kärcher, bisnis keluarga berorientasi pada nilai-nilai telah berkembang menjadi merek internasional yang menawarkan 3 atribut penting kepada pelanggannya: kinerja terbaik, inovasi dan kualitas. Produk-produk Kärcher telah memenangkan lebih dari 100 penghargaan nasional dan internasional untuk desain produk. Di samping itu, lebih dari 1.300 paten dan model utilitas merupakan bukti semangat inventif dan inovatif kami. Saat ini, Kärcher merupakan penyedia global terkemuka akan sistem pembersihan yang efisien dan hemat sumber daya, memiliki karakteristik mudah digunakan dan pelayanan yang baik.*



As for our commitment to the environment, we have been cleaning historical monuments & buildings for more than 30 years as part of our cultural sponsorship programme. From Christ the Redeemer statue in Brazil, Colonnades in Rome, Mount Rushmore in United States, Monumen Nasional in Indonesia, to Merlion Statue in Singapore and many others, we are happy to take on any challenge. We have made cleaning our business and at the same time, make our contribution towards preserving values for people. Worldwide.



*Atas komitmen kami terhadap lingkungan, kami telah membersihkan berbagai monumen dan bangunan bersejarah selama lebih dari 30 tahun sebagai bagian dari program sponsor kebudayaan kami. Dari patung Christ the Redeemer di Brasil, Colonnades di Roma, Colossi of Memnon di Mesir, Mount Rushmore di Amerika Serikat, Monumen Nasional di Indonesia, dan banyak lainnya, kami senang menghadapi tiap tantangan. Membersihkan telah menjadi bisnis kami dan disaat bersamaan, kami memberi kontribusi bagi pembudayaan nilai bagi orang-orang. Secara global.*

**Kärcher makes a difference**



# Kärcher Industry Solutions

Finding the best solution for cleaning tasks is of growing importance for businesses of all kinds. This is why we have tailored our extensive range of products precisely to your requirements, reducing time, costs and resource consumption without compromising performance. We understand the demands of your business, whatever market sector you operate in.

Menemukan solusi terbaik untuk pekerjaan membersihkan adalah kebutuhan yang makin penting bagi segala jenis bisnis. Karena inilah kami merancang jajaran produk yang ekstensif secara tepat untuk kebutuhan Anda, mengurangi konsumsi waktu, biaya dan sumber daya tanpa mengurangi kinerja. Kami memahami tuntutan bisnis Anda pada sektor pasar manapun Anda beroperasi.



## Table of Contents | Daftar Isi

Cold Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi Air Dingin</i>	4	Polisher & Scrubber Driers <i>Pengkilap &amp; Penyikat Lantai</i>	12
Hot Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi Air Panas</i>	6	Floor Cleaner <i>Pembersih Lantai</i>	14
Wet & Dry Vacuum Cleaners <i>Pengisap kotoran basah &amp; kering</i>	7	Steam Cleaner & Steam Vacuum Cleaner <i>Pembersih Uap dan Pengisap-pembersih Uap</i>	14
Dry Vacuum Cleaners <i>Pengisap kotoran kering</i>	8	Industrial Vacuum Cleaners <i>Pengisap Kotoran untuk Industri</i>	15
Carpet Vacuum Cleaners <i>Pengisap kotoran untuk karpet</i>	9	Air Cleaner <i>Pembersih Udara</i>	16
Carpet & Upholstery Cleaners <i>Pembersih karpet dan sofa</i>	9	Dry Ice Cleaning <i>Pembersihan dengan Biang Es</i>	16
Carpet Cleaners & Carpet Extractors <i>Pembersih karpet dan ekstraktor karpet</i>	10	Optional Accessories <i>Perlengkapan Tambahan</i>	17
Air Blower <i>Pengering karpet dan lantai</i>	10	Kärcher Service <i>Servis Kärcher</i>	19
Sweepers <i>Penyapu</i>	11		

60 Hz machines are available upon demand for most products  
Mesin 60 Hz tersedia berdasarkan permintaan untuk sebagian besar produk

 Designed & Engineered  
by Kärcher in Germany



# Cold Water High-Pressure Cleaners



Product (order n.)		HD 4/11 C Bp Pack (1.520-925.0)	HD 5/12 C (1.520-900.0)	HD 5/15 C Plus (1.520-931.0)
Technical Data				
Benefits		Max. performance, autonomous with self-suction mode and suction-hose	Compact & portable, versatile operation, horizontal and vertical operations	Compact & portable, horizontal & vertical operations, dirt blaster included
Class		Battery powered high-pressure cleaners		Compact
Current type	Ph/V/Hz	2 x 7.5 Ah / 36 V Li-ion Battery		1 / 220-230 / 50
Opr. pressure	bar	110	120	150
Flow rate	l/h	320 - 400		500
Max. inlet temp.	°C	60		60
Power rating	kW	1.6	2.5	2.8
Dim. (LxWxH)	mm	400 x 456 x 960		380 x 360 x 930
Weight	kg	26.9	24.4	25.7



Product (order n.)		HD 5/11 Cage (1.520-204.0)	HD 7/11-4 Classic (1.367-305.0)	HD 9/20-4 Classic (1.367-308.0)
Technical Data				
Benefits		Durable axial pump, high mobility & durability, robust tubular steel frame for tough jobs	Durable crankshaft pump with ceramic-coated piston, adjustable flow rate, robust metal frame chassis	High reliability and easy operation. More power for versatile applications.
Class		Classic	Classic	Special
Current type	Ph/V/Hz	1 / 220-230 / 50		3 / 400 / 50
Opr. pressure	bar	110 / 11	70-110	70-200
Flow rate	l/h	500	520 - 700	520-900
Max. inlet temp.	°C	60		60
Power rating	kW	2.2	2.9	6.9
Dim. (LxWxH)	mm	475 x 335 x 340	709 x 469 x 1000	700 x 455 x 1010
Weight	kg	21.3	49.1	56



**NEW**



Product (order n.)		HD 7/10 CXF (1.151-906.0)	HD 10/25-4 S Plus (1.286-960.0)	HD 6/15 G Classic (1.187-010.0)
<b>Technical Data</b>				
Benefits		Specialized for sanitary/hygiene/food industries, water inlet up to 80°C, grey non marking wheels	Upright-space-saving design, integrated detergent tank	New easy mobile cold water with combustion engine, robust crankshaft pump
Class		Super	Super	Classic
Current type	Ph/V/Hz	3 / 380-400 / 50	3 / 380-400 / 50	Gasoline/Petrol
Opr. pressure	bar	10 - 100	30 - 250	150
Flow rate	l/h	250 - 700	500 -1000	600
Max. inlet temp.	°C	80	60	60
Power rating	kW	4.5	9.2	4.1 (5.5 hp)
Dim. (LxWxH)	mm	360 × 400 × 935	560 × 500 × 1090	799 × 637 × 1097
Weight	kg	36.5	68.6	44.7

**1000**  
Max. opr.



**500**  
Max. opr.



**DIESEL**  
ENGINE



Product (order n.)		HD 9/100-4 Cage Classic (1.812-000.0)	HD 9/50-4 (1.367-156.0)	HD 9/23 De (1.187-907.0)
<b>Technical Data</b>				
Benefits		Ultra high-pressure class, particularly ideal for construction, industrial & transport sectors	Very powerful against stubborn dirt, robust cage for safe crane-loading	Economical diesel engine with electro start, automatic speed reduction with servo control
Class		Classic	Industrial	Combustion Engine
Current type	Ph/V/Hz	3 / 380 - 400 / 50	3 / 380-400 / 50	Gasoline/Petrol
Opr. pressure	bar	1000	150-500	40-230
Flow rate	l/h	900	500 - 900	400 - 930
Max. inlet temp.	°C	60	60	60
Power rating	kW	30	15	6.8 kW   9.3 hp
Dim. (LxWxH)	mm	1395 x 789 x 1088	930 × 800 × 920	870 × 725 × 1170
Weight	kg	392	190	108

**NEW**



Product (order n.)		HD 10/16-4 Cage Ex (1.353-904.0)
<b>Technical Data</b>		
Benefits		Explosion protection II 2 G c T3, 4-pole air-cooled electric motor
Class		Special
Current type	Ph/V/Hz	3 / 380-400 / 50
Opr. pressure	bar	160
Flow rate	l/h	1000
Max. inlet temp.	°C	50
Power rating	kW	5.5
Dim. (LxWxH)	mm	980 × 720 × 1100
Weight	kg	122.6



# Hot Water High-Pressure Cleaners



Product (order n.)		HDS 6/14 C (1.169-900.0)	HDS 8/18-4 C (1.174-900.0)
<b>Technical Data</b>			
Benefits		Ecoefficiency mode with intuitive single button selector switch	4-pole water cooled electric motor with economical Ecoefficiency mode
Class		Compact	Compact
Current type	Ph/V/Hz	1 / 220-230 / 50	3 / 380-400 / 50
Opr. pressure	bar	30-140	30-180
Flow rate	l/h	240 - 560	300 - 800
Temperature	°C	80	80 - 155
Power rating	kW	3.6	6
Dim. (LxWxH)	mm	1060 x 650 x 920	1060 x 650 x 920
Weight	kg	100	119.4



Product (order n.)		HDS 10/20-4 M Classic (1.071-905.0)	HDS 12/18-4 S (1.071-914.0)	HDS-E 8/16-4 M 24 KW (1.030-904.0)
<b>Technical Data</b>				
Benefits		Dual-lance operation capability with optional accessories, 2 detergent tanks, ecoefficiency mode	Dual-lance operation capability with optional accessories, 2 detergent tanks, ecoefficiency mode	Eco-environment friendly, without exhaust gases
Class		Middle	Super	Middle
Current type	Ph/V/Hz	3 / 380-400 / 50	3 / 380-400 / 50	3 / 380-400 / 50
Opr. pressure	bar	30-200	30 - 180	30 - 160
Flow rate	l/h	500 - 1000	600 - 1200	300 - 760
Temperature	°C	80 - 155	80 - 155	45 / 85
Power rating	kW	7.8	8.4	29.5
Dim. (LxWxH)	mm	1330 x 750 x 1060	1330 x 750 x 1060	1330 x 750 x 1060
Weight	kg	171	175.1	112



Product (order n.)		HDS 12/14-4 St Gas (1.251-901.0)
<b>Technical Data</b>		
Benefits		Hot water high pressure for stationary use
Class		Station
Current type	Ph/V/Hz	3 / 380-400 / 50
Opr. pressure	bar	30 - 140
Flow rate	l/h	600 - 1200
Temperature	°C	(for supply 12 °C) max. 98
Power rating	kW	7.5
Dim. (LxWxH)	mm	1110 x 565 x 1080
Weight	kg	170 (with accessories)





# Wet & Dry Vacuum Cleaners



NEW



Product (order n.)		NT 22/1 Ap Bp L Pack (1.428-500.0)	NT 27/1 (1.428-500.0)	NT 30/1 Me Classic (1.428-569.0)
Technical Data				
Benefits		Mobility at new level, removable lithium-ion battery	Compact with accessory storage & cable hook	Easy maintenance and strong suction power
Class		Ap	Standard	Classic
Air flow rate	l/s	57	67	59
Vacuum	mbar/kPa	152 / 15,2	200 / 20	227 / 22,7
Container	l	22	27	28
Max. power	W	575 (rated input power)	1380	1500
Sound level	dB(A)	70	72	78
Dim. (LxWxH)	mm	401 x 372 x 499	420 x 420 x 525	380 x 365 x 640
Weight	kg	8.8	7.5	8



Product (order n.)		NT 38/1 Me Classic (1.428-530.0)	NT 40/1 Ap L (1.148-321.0)	NT 40/1 Tact Te L (1.148-311.0)
Technical Data				
Benefits		Easy maintenance and strong suction power	Semi-automatic filter cleaning, flat pleated filter for longer durability	Wet and dry vacuum cleaner with tact filter cleaning system and anti static
Class		Classic	Ap	TACT
Air flow rate	l/s	59	74	74
Vacuum	mbar/kPa	227 / 22,7	254 / 25,4	273 / 27,3
Container	l	38	40	40
Max. power	W	1500	1380	1380
Sound level	dB(A)	78	70	68
Dim. (LxWxH)	mm	375 x 360 x 735	525 x 370 x 630	560 x 370 x 655
Weight	kg	8.6	12,4	14,4



Product (order n.)		NT 48/1 (1.428-620.0)	NT 70/2 Me Classic   NT 70/2 (1.667-224.0   1.667-269.0)	NT 90/2 Me (1.667-701.0)
Technical Data				
Benefits		All purpose brush, equipped with drain hose cartridge filter with enlarged filter area	Very powerful 2-motors, for demanding applications. With stainless steel or durable plastic container	Designed for industry, with larger capacity and powerful 2-motors vacuum power
Class		Standard	Classic   Standard	Classic
Air flow rate	l/s	67	2 x 56	53
Vacuum	mbar/kPa	200 / 20	208 / 20,8	225 / 22,5
Container	l	48	70	90
Max. power	W	1380	2300   2400	2300
Sound level	dB(A)	72	76   75	76
Dim. (LxWxH)	mm	490 x 390 x 780	560 x 502 x 832   720 x 510 x 975	560 x 502 x 977
Weight	kg	10.5	18   24,9	19



# Dry Vacuum Cleaners



Product (order n.)	T 12/1 ecoefficiency (1.355-135.0)	T 15/1 HEPA (1.355-235.0)
<b>Technical Data</b>		
Benefits	Low noise & energy-use, perfect for noise-sensitive areas such as hotels & hospitals	With HEPA filter for hygienically pure, particle-free exhaust air in hotels, hospitals and nurseries
Category	Dry Vacuum Cleaner	Dry Vacuum Cleaner
Air flow rate	l/s	46
Vacuum	mbar/kPa	185 / 18,5
Container	l	12
Max. power	W	500
Sound level	dB(A)	60
Dim. (LxWxH)	mm	410 x 315 x 340
Weight	kg	6.4



Product (order n.)	T 9/1 Bp Pack (1.528-121.0)	BVL 5/1 Bp Pack (1.394-270.0)
<b>Technical Data</b>		
Benefits	Up to 28% longer running time, brushless turbine	Ultra-light powerful and long lasting cordless backpack vacuum
Category	Battery powered dry vacuum cleaner	Battery powered dry vacuum cleaner
Air flow rate	l/s	40
Vacuum	mbar/kPa	210 / 22
Container	l	9
Rated perform.	W	500
Sound level	dB(A)	59
Dim. (LxWxH)	mm	420 x 325 x 382
Weight	kg	6.8

## Carpet Vacuum Cleaners




**BEST  
SELLER**



Product (order n.)		CV 38/2 Adv (1.033-336.0)
<b>Technical Data</b>		
Benefits		Daily carpet vacuum with extremely durable, anti-twist yellow highflex cable
Category		Upright Brush Vacuum Cleaner
Air flow rate	l/s	48
Vacuum	mbar/kPa	250 / 25
Working width	mm	380
Container	l	5,5
Max. power	W	1050
Sound level	dB(A)	67
Dim. (LxWxH)	mm	351 x 391 x 1215
Weight	kg	9,5

## Carpet and Upholstery Cleaners



Product (order n.)		Puzzi 8/1 C (with hand nozzle) (1.100-240.0)	Puzzi 10/1 + Hand (1.100-138.0)	Puzzi 30/4 (1.101-120.0)
<b>Technical Data</b>				
Benefits		Lighter but powerful entry-level for spot cleaning on carpets	Wide range of accessories for versatile applications, suitable for everyday use	The quietest in its class 66 dB(A), for larger carpets
Category		Spray extraction machine	Spray extraction machine	Spray extraction machine
Area perform.	m <sup>2</sup> /h	12 - 18	20 - 25	60 - 75
Power rating	W	max. 1380 (turbine)   40 (pump)	1250 (turbine)   80 (pump)	1200 (turbine)   70 (pump)
Air flow rate	l/s	71	54	74
Vacuum	mbar/kPa	270 / 27	220 / 22	254 / 25.4
Wtr. tank (l   d)	l	8   7	10   9	30   15
Dim. (LxWxH)	mm	525 x 335 x 425	705 x 320 x 435	580 x 460 x 930
Weight	kg	8.6	10.7	26



# Carpet Cleaners & Carpet Extractors



Product (order n.)		BRS 43/500 C (1.006-671.0)	BRC 30/15 C (230 V) (1.008-057.0)	BRC 45/45 C (230 V) (1.008-056.0)
<b>Technical Data</b>				
<b>Benefits</b>		Easy to use, sufficiently dry in 20 minutes with encapsulation technology	Compact carpet cleaner for fast & economical spray extraction; also ideal for spot & interim cleaning	Can be use forward or backward, floating brush head with contra-rotating roller brushes
<b>Category</b>		Intermediate carpet cleaner	Deep carpet cleaner	Deep/Intermediate carpet cleaner
Cleaning area performance	m <sup>2</sup> /h	300 (Interim ICapsol)	150 (deep cleaning)	350   1000 (deep cleaning   Interim ICapsol)
Power rating	W	370 (brush motor)	1130 (turbine)   80 (brush motor)	1100 (turbine)   600 (brush motor)
Air flow rate	l/s	-	20	45
Vacuum	mbar/kPa	-	300 / 30	300 / 30
Wtr. tank (f   d)	l	7.5   -	15   17	45   38
Spray pressure	bar	3.4	3.5	7
Spray rate	l/min	0.38	1	3.2
Dim. (LxWxH)	mm	400 x 460 x 1160	920 x 360 x 750	770 x 545 x 1250
Weight	kg	25	36	48

## Air Blower



Product (order n.)		AB 45 (1.004-060.0)
<b>Technical Data</b>		
<b>Benefits</b>		High-performance blower enables quick drying after water damage
<b>Category</b>		Air blower
Air flow rate (level 1   2   3)	m <sup>3</sup> /min.	57   88   133
Blower speed (level 1   2   3)	rpm.	950   1150   1350
Power rating	W	700
Cord length	m	6.1
Dim. (LxWxH)	mm	405 x 475 x 475
Weight	kg	11.87



# Sweepers



Product (order n.)		KM 70/20 C (1.517-106.0)	KM 75/40 W G (1.049-205.0)
Technical Data			
Benefits		Best value, efficient	Gasoline powered, perfect for sweeping outdoors & warehouse areas
Category		Walk-behind sweeper/vacuum sweeper	Walk-behind vacuum sweeper
Drive   Power		Manual	4-stroke petrol   3.3 kW
Area perform.	m <sup>2</sup> /h	2800 (max.)	3375 (max.)
Working width w/ side brushes	mm	480 (0)   700 (1)   -	550 (0)   750 (1)
Waste Container	l	42	40
Dim. (LxWxH)	mm	1300 × 765 × 1035	1430 × 780 × 1180
Weight	kg	23	84
Area usage		Indoor / outdoor	outdoor



Product (order n.)		KM 85/50 R Bp (1.351-126.0)	KM 100/100 R Bp (1.280-103.0)
Technical Data			
Benefits		Ideal floor carpet and outdoor area	Easy operation, battery or diesel powered version available
Category		Ride-on vacuum sweeper	Ride-on vacuum sweeper
Drive   Power		DC motor   1000 W	DC motor   2050 W
Max. area perf.	m <sup>2</sup> /h	with (side brushes): 5100 (1)   6300 (2)	with (side brushes): 6000 (1)   7800 (2)
Working width	mm	with (side brushes): 615 (0)   850 (1)   1050 (2)	with (side brushes): 700 (0)   1000 (1)   1300 (2)
Waste Container	l	50	100
Dim. (LxWxH)	mm	1270 × 870 × 1170	2006 × 1005 × 1343
Weight	kg	252	320
Area usage		Indoor / outdoor	outdoor



Product (order n.)		KM 120/250 R D Classic (1.186-000.0)	KM 130/300 R D Classic (1.186-139.0)	KM 150/500 R D Classic (1.186-134.0)
Technical Data				
Benefits		Simple operation, robust design for tough jobs	Fully hydraulic, for tough jobs in the building material or metal-working industries, foundries and abrasive dirt-intensive sectors	Very large container for longer working sessions, comfortable operation & easy maneuverability in confined spaces.
Category		Ride-on vacuum sweeper	Ride-on vacuum sweeper	Ride-on vacuum sweeper
Drive   Power		4-stroke diesel engine / Yanmar   15.8 kW	4-stroke diesel engine / Yanmar   15.8 kW	4-stroke diesel engine / Yanmar   15.8 kW
Max. area perf.	m <sup>2</sup> /h	w/ (side brushes): 10800 (1)   13500 (2)	w/ (side brushes): 13000 (1)   15500 (2)	w/ (side brushes): 18000 (1)   21600 (2)
Working width w/ side brushes	mm	900 (0)   1200 (1)   1500 (2)	1000 (0)   1300 (1)   1550 (2)	1200 (0)   1500 (1)   1800 (2)
Waste Container	l	250	300	500
Dim. (LxWxH)	mm	2082 × 1250 × 1450	2150 × 1330 × 1430	2442 × 1570 × 1640
Weight	kg	880	940	1400
Area usage		outdoor	outdoor	outdoor

# Polisher & Scrubber Driers



Product (order n.)	BD 17/5 C (1.737-107.0)	BDS 43/150 C Classic (1.291-247.0)	BDP 50/1500 C (1.291-141.0)
<b>Technical Data</b>			
Benefits	Lightweight, compact and more flexible	All purpose machine for hard floor cleaning, carpet shampooing, crystallization & sanding	With Ultra-high speed, polishes 30% faster than conventional machine
Category	Hand Polisher	Single-disc machines	Polishing machine
Working width Brush   Vacuum	mm 170   -	430   -	508 (pad)   560
Area perform.	m <sup>2</sup> /h -	-	900 (theoretical)
Brush speed	rpm 470	150	1500
Power rating	W 150	1100	1100
Dim. (LxWxH)	mm 330 x 136 x 290	590 x 430 x 1180	760 x 550 x 1250
Weight	kg 5,9	43	34,5



Product (order n.)	BR 30/4 C Adv (1.783-213.0)	BR 40/10 C (1.783-311.0)
<b>Technical Data</b>		
Benefits	Ideal for shops, restaurants, supermarkets & sanitary area	Bi-directional brushing & low noise cleaning
Category	Compact scrubber drier	Compact scrubber drier
Working width Brush   Vacuum	mm 300   300	400   400
Area perform.	m <sup>2</sup> /h 200 (max.)	400 (max.)
Brush speed	rpm 1450	1100
Power rating	W 820	2710
Wtr. tank (l   d)	l 4   4	10   10
Dim. (LxWxH)	mm 390 x 335 x 1180	520 x 470 x 380
Weight	kg 12.4	30





Product (order n.)		BD 50/60 C Ep Classic (1.127-002.0)	BD 50/50 C Bp Classic (1.127-007.0)	BD 50/70 R Classic Bp Pack (1.161-076.0)
Technical Data				
Benefits		Entry level scrubber with hi-cleaning performance	Entry level battery-powered scrubber	Battery-operated ride-on scrubber drier with disc brush
Category		Compact scrubber drier	Compact scrubber drier	Ride-on scrubber drier
Working width	mm	510   840	510   850	510   900
Brush   Vacuum				
Area perform.	m <sup>2</sup> /h	2040 (max.)	2000 (max.)	2805 (theoretical)
Brush speed	rpm	180		180
Power rating	W	max. 1100		1400
Wtr. tank (l   d)	l	60   60	50   50	70   75
Dim. (LxWxH)	mm	1185 × 540 × 1000		1310 × 590 × 1060
Weight	kg	57	63	112



Product (order n.)		BD 75/120 R Classic Bp (1.161-431.0)	BD 90/160 R Classic Bp (1.246-041.0)	B 90 R Classic Bp   with R75 + Squeegee (1.161-306.0)
Technical Data				
Benefits		Big battery capacity; longer running time. Easy maintenance & ergonomic, designed for Asian market	Higher cleaning performance per charge. More safety features	Equipped with V squeegee
Category		Ride-on scrubber drier	Ride-on scrubber drier	Ride-on scrubber drier
Working width	mm	750   1030	900   1200	750   940
Brush   Vacuum				
Area perform.	m <sup>2</sup> /h	4500 (max. theoretical)	5400 (max. theoretical)	4500 (theoretical)
Power rating	W	2500	2800	2200
Wtr. tank (l   d)	l	120   120	160   160	90   90
Dim. (LxWxH)	mm	1430 × 810 × 1650	1740 × 970 × 1440	1450 × 800 × 1200
Weight	kg	227   493 (w/ battery)	360 (empty)	149



# Floor Cleaner



Product (order n.)		BR 30/1 C Bp Pack 18/30 (1.783-050.0)
Technical Data		
Benefits		Cordless and convenient, suitable for narrow or hard-to-reach areas
Working width	mm	300
Wtr. tank (r   d)	l	1   0.7
Area perform.	m <sup>2</sup> /h	up to 200 (theoretical)
Battery type		Removable lithium-ion (18 V/3 Ah)
Charging time	min.	39 (80%)   65 (100%)
Dim. (LxWxH)	mm	340 x 305 x 1200
Weight	kg	7.1

# Steam Cleaner & Steam Vacuum Cleaner

Our professional steam cleaner & steam vacuum cleaner clean reliably without the use of chemicals. These efficient machines are used in wet and hygiene areas, on all hard floors, glass and tiled surfaces, as well as fittings and, with the right accessories, textile surfaces.

*Steam cleaner & steam vacuum cleaner profesional kami membersihkan dengan handal tanpa penggunaan zat kimia. Mesin-mesin yang ensien ini digunakan pada area basah dan berkebutuhan higienis, semua jenis lantai, kaca, permukaan berpola, bertunir dan dengan aksesoris yang tepat, pada permukaan tekstil.*



Product (order n.)		SG 4/4 (1.092-104.0)	SGV 8/5 (1.092-010.0)
Technical Data			
Benefit		Continuous steaming with volume control and VaporHydro function for perfect cleaning result without chemicals	Removing excess water immediately during steaming. Extra cleaning programmes & accessory integration.
Category		Steam cleaner	Steam vacuum cleaner
Power rating	W	2300	3000
Tank capacity	l	4	5
Steam pressure	bar/MPa	4	8
Voltage	V	220 - 240	220 - 240
Weight	kg	8	40
Cable length	m	7.5	7.5
Dim. (LxWxH)	mm	475 x 320 x 275	640 x 495 x 965

# Industrial Vacuum Cleaners

With wide options in power and container size, you will find the right machine for every Industrial application in the Kärcher range of Industrial vacuums. These powerful and reliable vacuum cleaners are ideal for non-stop operation. The machines are also available with dust explosion protection and hazardous dust class.

Dengan berbagai pilihan daya dan ukuran kontainer, kebutuhan akan mesin untuk aplikasi industri dapat terpenuhi oleh Kärcher. Pengisap kotoran yang kuat dan terpercaya ini cocok untuk operasional tanpa henti. Tersedia juga mesin untuk klasifikasi *dust explosion protection* dan klasifikasi *hazardous dust*.



Product (order n.)		IVM 40/24-2 (9.989-906.0)	IVR-L 65/12-1 Tc (9.986-055.0)
Technical Data			
Benefits		Durable, robust, compact and mobile, universal absorption of fine and coarse solid matter in industrial environments.	Compact, robust for vacuuming and separating coolants, lubricant emulsions, water or oil containing solids
Class		IVac Solid/dust	IVac Liquids/swarf
Current type	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60
Power rating	kW	2.3	1.2
Air flow rate	l/s   m³/h	106 / 381.6	59 / 212.4
Vacuum	mbar/kPa	225 / 22.5	230 / 23
Filter area	m²	1.6	0.25
Container	l	40	65
Dim. (LxWxH)	mm	645 x 655 x 1150	730 x 570 x 1330
Weight	kg	35.7	40



Product (order n.)		IVC 60/24-2 Ap (1.576-104.0)	IVC 60/12-1 Ec H 222 (1.576-103.0)
Technical Data			
Benefits		Entry-level, with semi automatic filter cleaning, ideal for production areas & machines cleaning	Suitable for continuous use in production & hygiene-sensitive areas (fine dust class H, ATEX zone 22)
Class		Compact	Ex vacuum
Current type	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60
Power rating	kW	2.4	1.2
Air flow rate	l/s   m³/h	2 x 74	62.5   225
Vacuum	mbar/kPa	254 / 25.4	244 / 24.4
Filter area	m²	0.95	0.95
Container	l	60	60
Dim. (LxWxH)	mm	970 x 690 x 995	970 x 690 x 995
Weight	kg	60	59



## Air Cleaner

AF 100 needs only a couple of minutes to produce fresh, clean air in rooms up to 100 m<sup>2</sup>. Customisable with five special filters – from antibacterial action, filtering hazardous smoke, to eliminating volatile organic compounds. A highly precise sensor monitors the air quality, shows this on the display and regulates the machine automatically.

AF 100 hanya membutuhkan beberapa menit untuk menghasilkan udara bersih dalam ruangan 100 m<sup>2</sup>. Dapat disesuaikan dengan 5 filter khusus - dari anti-bakteri, menyaring asap berbahaya hingga menyingkirkan berbagai komponen organik di udara. Sensor yang sangat akurat memonitor kualitas udara, menunjukkannya pada display dan meregulasi secara otomatis.



Product (order n.)		AF 100 (1.024-811.0)
<b>Technical Data</b>		
<b>Benefits</b>		For optimum air quality in rooms up to 100 m <sup>2</sup> with 3 fan speed levels
Sound level	dB(A)	30 - 48 dB(A)
Power rating	W	max. 80
CADR PM 2,5	m <sup>3</sup> /h	>750
CADR formaldehyde	m <sup>3</sup> /h	>350
CCM PM 2.5/ formaldehyde		P4
Dim. (LxWxH)	mm	380 x 380 x 713
Weight	kg	11.3

## Dry Ice Cleaning

The spray process with dry ice pellets is ideal for gentle cleaning of sensitive surfaces. This requires no cleaning agents or other additives and leaves no moisture or abrasive material residue.















Proses penyemprotan dengan biang es ideal untuk membersihkan dengan lembut permukaan yang sensitif. Proses ini tidak memerlukan bahan pembersih atau aditif lain dan tidak meninggalkan kelembapan atau residu material abrasif.













Product (order n.)		IB 10/8 L2P (1.574-200.0)
<b>Technical Data</b>		
<b>Benefits</b>		Ergonomic, mobile design and safe handling
Class		Compact
Air pressure	bar	0.7 - 10
Air flow	m <sup>3</sup> /min	0.1 - 0.8
Dry ice consumption	kg/h	2 - 8
Power rating	kW	1
Dim. (LxWxH)	mm	845 x 440 x 938
Weight	kg	90










# Optional Accessories






Cold & Hot Water High Pressure Cleaner Accessories		Order Number	Description
1		2.642-999.0	Integrated, automatic dirty water suction, featuring non-marking steering rollers and double ceramic bearing. Machine-specific nozzle kit must be ordered separately. Max. 250 bar / 1300 l/h / 60 °C.
2		2.642-911.0	Stainless steel with integrated, automatic dirty water suction, featuring non-marking steering rollers and double ceramic bearing. Machine-specific nozzle kit must be ordered separately. Max. 250 bar / 1300 l/h / 85 °C.
3		4.762-010.0	Adds abrasive to high-pressure jet. For removing paint, rust, scaling. Fits on spray lance in place of HP nozzle. With flow control.
4		6.392-978.0	Flexible hose with rubber outer covering suitable for use with iSolar TL 7. Easily extending and retracting of the telescopic lance.
5		6.368-092.0	Water-driven disc brush features working width of 400 mm suitable for cleaning small to medium-sized photovoltaic systems.
6		6.368-095.0	Water-driven brush head with 800 mm working width and two contra-rotating disc brushes for cleaning photovoltaic systems.
7		4.405-048.0	Offers the option to connect two spray units per machine by installing on the high pressure outlet.
8		6.394-654.0	For continuous adjustment of the spray lance angle between 20-140°, to clean hard-to-reach places.
9		6.394-690.0	Extendable from 1.8 to 5.4 m to clean hard-to-reach places. With integrated HP trigger gun, M 22 x 1.5 connector and rotary coupling. Connector for nozzles M 18 x 1.5.
10		4.424-004.0	For extension of HP hoses with swivel connection or for operation of the telescopic lance with HP hose with swivel connection.
11		6.373-987.0	Strap for telescopic spray pipe.
12		6.295-971.0	Calcification protection for hot water high-pressure cleaners. This new formula offers improved protection from lime deposits in heater coil systems (up to 150°C) as well as integrated corrosion protection for all HDS machine components that come into contact with water.
13		6.295-303.0	
14		6.295-488.0	

Dry and Carpet Vacuum Cleaner Accessories		Order Number	Description
1		2.860-113.0	Upholstery nozzle, plastic, with reduction bushing ID 35/32.
2		2.860-114.0	Floor tool for carpet cleaning.
3		6.904-305.0	Fleece filter bag, tear-resistant, dust class M, for CV 38/2   10 pcs.
4		6.904-315.0	Fleece filter bag, tear-resistant, dust class M, for T 12/1   10 pcs.
5		6.904-335.0	Fleece filter bag, tear-resistant, dust class M, for BV 5/1   10 pcs.
6		6.907-017.0	Fleece filter bag, tear-resistant, dust class M, for T 15/1   10 pcs.
7		8.621-509.0	Two-ply, for low-dust disposal, for CV 66/2

Wet & Dry Vacuum Cleaner Accessories		Order Number	Description
1		2.679-000.0	Drill dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.
2		4.130-401.0	Metal, height-adjustable, with brush strip set 6.906-751.0 and rubber strip set 6.906-750.0 for NT 55/1 Tact and NT 611 Eco.
3		2.640-341.0	Special tools for bakeries, can be combined with NT 35/1 Ap or NT 55/1 Tact.

Carpet Cleaner & Spray Extraction Cleaner Accessories		Order Number	Description
  	1. Upholstery tool	4.130-001.0	Upholstery nozzle, 110 mm.
	2. Hand nozzle DN 38	4.130-163.0	Stainless steel with transparent nozzle, ID 38. For cleaning upholstery or small surfaces that cannot be reached with the floor nozzle.
	3. Spray extraction hose ID 38, 4m	4.440-644.0	Complete, metal coupling. Floor tool

Scrubber & Polisher Accessories		Order Number	Description
      	1. Microfiber pad	6.905-526.0	Excellent cleaning power. Also effectively cleans fine stoneware tiles.
	2. Disk brush 430 mm, Red	6.369-895.0	Medium hardness scrubbing brush.
	3. Disk brush 430, blue-white	6.369-896.0	Medium-soft hardness shampooing brush.
	4. Disk brush 430 mm, black	6.369-898.0	Hard scrubbing brush, GRIT
	5. Pad drive board 430 mm	6.369-899.0	For low speed pad.
	6. FloorPro High Gloss Crystallising Agent, powder RM 775, 5 kg	6.295-117.0	Treating and hardening marble & terrazzo floors. After crystallisation, the floor has an attractive high gloss & is harder and more resistant to wear.
	7. FloorPro Intensive Deep Cleaner Extra RM 752, 10 L	6.295-813.0	Extra powerful deep cleaning agent for removal of stubborn dirt and coatings of alkali-resistant floors. Removes even the most stubborn oil, grease & mineral stains.


Industrial Vacuum Cleaner Accessories		Order Number	Description
    	1. Standard kit solids/dusts DN 40	9.989-659.0	For textile and insulating material, food & pharmaceutical industry, apparatus engineering & warehouse cleaning.
	2,3. Vacuum kit DN 51   (3) DN 61 for lighter-duty application	2.641-177.0 2.641-175.0	
	4. Standard kit liquids/swarf DN 50	9.989-658.0	Comprehensive accessory kit for liquid and swarf vacuum. Suitable for cutting industry (cleaning of machine tools - metal splinters and KSS).
	5. Standard kit liquids/swarf DN 40	9.989-657.0	
	6. Adapter accessories	9.989-604.0 9.977-772.0 9.989-690.0 9.989-712.0 9.989-713.0 9.981-231.0	Multipurpose adapter for different size of industrial vacuum suction kit.



# Kärcher Service

Our skilled service team provide personalised support over the entire service life of your Kärcher machine. Wherever you need us, we or one of our service partners will be there to assist you on-site.

*Tim ahli kami menghadirkan dukungan secara personal selama masa penggunaan mesin Kärcher Anda. Dimana Anda membutuhkan, kami atau rekan servis kami akan hadir untuk membantu Anda.*



## Service Training

Thanks to our comprehensive training system, our service engineers and those of our service partners are trained using the latest teaching methods. Specialist knowledge is acquired through technical as well as electronic training. A wide range of practical exercises ensure that the service engineers are ideally prepared for working in the field.

*Dengan sistem pelatihan kami yang komprehensif, teknisi kami dan rekan servis kami terlatih menggunakan metode pembelajaran terkini. Pengetahuan spesialis diperoleh melalui pelatihan teknis maupun elektronik. Banyaknya jenis latihan terapan memastikan para teknisi secara ideal siap bekerja di lapangan.*

## Service Contract Packages

The Kärcher Service Contract packages combine accumulated technical expertise and in-depth application knowledge to yield optimal solutions. Each service package is precisely tailored to a defined need. The scope of services ranges from inspection as part of mandatory safety testing, to maintenance at date due, to the flat-rate Full Service. In addition to the service packages, add-on services such as battery, maintenance or the delivery of consumables are possible.

*Paket-paket kontrak servis Kärcher menggabungkan keahlian teknis dan pengetahuan aplikasi yang mendalam untuk menghasilkan solusi optimal. Tiap paket servis dirancang untuk kebutuhan tertentu. Cakupan servis meliputi pengecekan sebagai bagian dari kelaikan unit, perawatan berkala, hingga Full Service dengan flat-rate. Layanan tambahan seperti baterai, perawatan atau pengiriman perlengkapan dapat dilakukan sebagai opsional.*

Kärcher Service Package	Kärcher Full Service	Kärcher Maintain	Kärcher Inspect
Safety inspection including certificate & inspection plate	■	■	■
inspection	■	■	■
Travel expenses*	■	■	■
Labor costs*	■	■	■
Adjustment of the operating hours within runtime is possible	■	■	■
Preventive replacement of defined wear parts in accordance with the manufacturer's maintenance plan	■	■	
Spare parts & wear parts included (except batteries & consumables such as brushes, roller brushes, suction lips, cleaning agents, etc.)	■		
Functional guarantee - continuous preservation of function*	■		
Consumables included (brushes, roller brushes, suction lips, cleaning agents, etc.)	□	□	□
Battery (maintenance, replacement, repair)	□	□	□

\* Does not apply in case of customer fault, improper use, use of force, force majeure, erroneous operation, etc.

Please contact us for more information:

**KÄRCHER CENTER INDONESIA**

Foresta Business Loft 3 Unit 8 & 9  
Jl. Boulevard Raya, Lengkong Kulon  
Pagedangan, Tangerang 15850

☎ +62 21 8065 7600

✉ info@id.kaercher.com

[www.Kaercher.com/Id](http://www.Kaercher.com/Id)

☎ 021 - 8065 7600

✉ info.id@karcher.com

📘 Kaercher Indonesia

📷 Kaercher.id

Dealer Info: